

Title: Appliance and Method for Navigating ... tor(s): Dow et al.





Title: Appliance and Method for Navigating ... ventor(s): Dow et al.


er. No.: Unassigned; Page 2 of 10

FIG. 2









er. No.: Unassigned; Page 4 of 10





FIG. 4A



FIG. 4B




FIG. 5




FIG. 6




FIG. 7

Title: Appliance and Method for Navigating ... tor(s): Dow et al.

No.: Unassigned; Page 5 of 10






FIG. 8A




FIG. 8B




FIG. 8D



FIG. 8C




FIG. 8E



FIG. 8F

Title: Appliance and Method for Navigating ... Inve :: Dow et al.

Ser. Unassigned; Page 6 of 10




FIG. 9




FIG. 10

Calibration Instructions

If you notice light or dark streaks in your captured images it may be necessary to recalibrate.

Step 1:

Find a blank white piece of paper. Make sure that it is perfectly clean with no marks



Capturing a page

- Keep appliance in contact with page.
- Press and hold copy button while copying.
- Overlap copy paths by at least 1/2 inch.
- Release copy button or lift appliance off page to stop.

| \subseteq | More |
|---------------|-------|
| $\overline{}$ | IVIOL |

FIG. 11

FIG. 12




FIG. 13

Title: Appliance and Method for Navigating ntor(s): Dow et al.

. No.: Unassigned, Page 7 of 10




FIG. 14A




FIG. 14B




FIG. 14C

Litle: Appliance and Method for Navigating ... entor(s): Dow et al.

er. No.: Unassigned: Page 8 of 10




FIG. 15A

Title: Appliance and Method for Navigating . ventor(s): Dow et al.

ser. No.: Unassigned: Page 9 of 10




FIG. 15B

Title: Appliance and Method for Navigation Inventor(s): Dow et al.

Ser. No.: Unassigned: Page 10 of 10




FIG. 15C